

Conceptual Dynamics 1st Edition Errata

Chapter 1

- P1.3-1) The center-to-center distance between the spheres should be **1.5 ft** not 1.5 m.

Chapter 2

- CE2.1-2) The velocity referred to in this problem should be the **average speed** within the specified time interval.
- CE2.1-3) Instantaneous and average velocity should be **instantaneous** and **average speed**.
- SP2.4-5) has been created. See attached.
- RP2-10) A simpler version has been created. See attached.
- P2.2-1) Ans: $t = 9.111$ s, $v_{max} = 15.61$ m/s, $t = 6.54$ s, $a_{max} = 2.64$ m/s², $t = 9.111$ s
- P2.2-3) Ans: $\Delta s = 14$ m
- P2.2-4) Ans: $\Delta s = s_{total} = 500$ m
- P2.3-3) The associated figure is labeled P2.1-8 by mistake.
- P2.4-1) Ans: a) $t = 2$ s, 6.5 s, b) $t = 3.41$ s

Chapter 3

- EP3.1-5) was eliminated (too simple). It was moved to P3.1-6.
- EP3.1-7) The average acceleration should be $6\mathbf{i}+2\mathbf{j}$ in the solution.
- SP3.2-10) was added. See attached.
- EP3.3-8) Part b) of the question should ask you to find ‘the total acceleration and velocity of the car as it approaches point B.’
- SP3.3-12) was added. See attached.
- EP3.4-3) \ddot{r} was eliminated from the answer choices because it cannot be determined.
- EP3.6-1) Figure labeling in PPT. Fig. B should be labeled C.
- RP3.3) Velocity should be **speed**.
- RP3.8) Answer b) should be, “Ball A has a larger initial velocity.”
- RP3-16) The units on constants b and d should be **meters**.
- RP3-17) The units of the initial bike speed should be **kph**. The equation for the total height of the bike in the givens should be $h = y_B + 5$ m.
- RP3-21) Moved to the P3.18-5 and replaced with a new problem. See attached.
- P3.5-4) The units in the answer should be **ft/s**.
- P3.10-1) The acceleration’s leading constant should be **+1** not -1.
- P3.10-5) Ans: $a = 9.6$ m/s²
- P3.12-2) Evaluate the time at $\theta = 30^\circ$
- P3.14-4) The river speed is $v_R = 2$ knots

Chapter 4

- P4.1-4) $\theta(t)$ should be $\theta(t) = t^3 - 10t^2 + 2$.
- P4.2-2) Ans: Both ω and α should be in the $-\mathbf{k}$ direction.
- SP4.2-7) was added. See attached.
- SP4.3-7) was added. See attached.
- P4.4-1) is a fixed axis problem and was moved to P4.2-6.
- P4.6-2) Ans: a) $\mathbf{v}_B = -v_C(\mathbf{i} - \mathbf{j})$, $\mathbf{v}_D = 2v_C\mathbf{i}$ b) $\mathbf{v}_B = v_C(\mathbf{i} - \mathbf{j})$, $\mathbf{v}_D = 2v_C\mathbf{i}$ c) $\mathbf{v}_B = v_C(\mathbf{i} - \mathbf{j})$, $\mathbf{v}_D = -2v_C\mathbf{i}$ d) $\mathbf{v}_B = 2v_C(\mathbf{i} - \mathbf{j})$, $\mathbf{v}_D = 2v_C\mathbf{i}$
- P4.9-2) Answer: $\omega_{cd} = 0.0873$ rad/s ccw
- P4.10-1) Units on the answer should be **rad/s²**.

Chapter 5

- Conceptual Example 5.2-5 PPT answers are incorrect. Correct answers should be "3, b, 2, a".
- SP5.6-13) The radius and its time derivatives are in terms of inches and need to be converted to feet. The answers are $N = (\sin \theta + 2.68 \sin(3\theta) + 2.9) \text{ lb}$ and $F = (0.194 \cos(3\theta) + \cos \theta) \text{ lb}$.
- SP5.7-4) was added. See attached.
- P5.3-1) Ans: $\ddot{x} = -(k/m)x$
- P5.4-5) was added.
- P5.9-3) Positions x and y in the problem statement should be x_1 and x_2 , respectively, to match the figure.
- P5.11-2) This problem was updated to make it different from the EP within the text. Change μ_{sb} to 0.35 and the ramp angle to 45° . This will make the Ans: $a_{B/A} = 3 \text{ ft/s}^2$.

Chapter 6

- SP6.6-5) was added. See attached.
- P6.4-2) As written, this problem is not physically possible. Change α to $0.5g/b$ and the solution becomes $O = 0.5W$.
- P6.5-1) was as stated was moved to the advanced section P and replaced with a simplified version of the problem.
- P6.5-6) Ans: $\alpha = 12.6 \text{ rad/s}^2$
- P6.5-7) The units on I_O should be **kg-m²**.
- C6-1) Find the tension for the first **0.1 s**.

Chapter 7

- Page 7-52 in the Equation derivation box: The first line should read, “The derivation of Equation 7.8-2 uses the fact that $d\mathbf{r} = \mathbf{v}dt$ and ...”
- P7.4-1) The velocity should be $v_3 = 2.45 \text{ m/s}$.
- P7.4-8) $H = 20 \text{ ft}$
- P7.5-1) Answer: $\ddot{\theta} + \frac{g}{L} \sin \theta = 0$, $\theta(t) = \theta_o \cos(\omega t)$, $\omega = \sqrt{\frac{g}{L}} \text{ rad/s}$, $\theta_o = \frac{\pi}{36} \text{ rad}$
- P7.8-1) In the answers, a) $P = 0.398 \text{ hp}$

Chapter 8

- Second part of CE8.5-1 was eliminated.
- SP8.5-7 was added. See attached.
- P8.1-5) Ans: $\omega_A = 2.41 \text{ rad/s}$, $\omega_B = 7.24 \text{ rad/s}$
- P8.2-2) Ans: $v = 2.62 \text{ m/s}$
- P8.5-4) The angular velocity is in the **clockwise** direction.
- P8.5-5) The associated figure is labeled P8.5-6. It should be labeled P8.5-5.

Chapter 9

- CE9.2-1) Figure B midpoint should be labeled **2.5** not 4.
- Solved Problem 9.4-5) See attached
- Equation 9.7-8 should be $\mathbf{H}_{O,2} = \mathbf{H}_{O,1}$
$$\sum (\mathbf{r}_{i,2} \times m_i \mathbf{v}_{i,2}) = (\mathbf{r}_{i,1} \times m_i \mathbf{v}_{i,1})$$
- EP9.7-3) The problem statement should ask for the **magnitude of the force as a function of time**.
- SP9.7-6) See attached
- Equation 9.7-8 should be labeled **angular momentum** not angular impulse-momentum and the equation is
$$\mathbf{H}_{O,2} - \mathbf{H}_{O,1} = \sum (\mathbf{r}_{i,2} \times m_i \mathbf{v}_{i,2}) - \sum (\mathbf{r}_{i,1} \times m_i \mathbf{v}_{i,1}) = 0$$
- P9.1-1) Answer: $F = 14.05 \text{ lb}$
- P9.1-6) Ans: $v_{s,2} = 2.29 \text{ mph}$, $v_{s,2} = 0$
- P9.2-9) Ans: $\Delta x = 0.54 \text{ m}$
- P9.2-10) Should be placed in the angular impulse and momentum section. Lengths are $l_1 = 1 \text{ ft}$, $l_2 = 3 \text{ ft}$. Ans: $\theta = 27.6^\circ$
- P9.4-1) $W = 2 \text{ lb}$
- P9.4-5) $\dot{\mathbf{H}}_O = (y_P F_2 - z_P F_1)\mathbf{i} - x_P F_2 \mathbf{j} - x_P F_1 \mathbf{k}$
- P9.4-6) Answer d) $\omega = 5v / 4L \text{ rad/s ccw}$

Chapter 10

- Conceptual Example 10.5-2) The perpendicular distance between the bar and point O is $l/2$.

Appendix A

Appendix B

- SPB.2-2) The solution to $-3y + x^2 \leq 8 + y$ should be $y \geq (8 - x^2)/-4$
- SPB.4-3) See attached
- SPB.5-4) The second minimum stated is the local minimum. The actual minimum occurs at $t = 0$ and is $v = 3$.
- SPB.6-1) $v_{t=2} = -2$ m/s

Appendix C

Appendix D